

Errors and omissions excepted. Prices and specifications subject to change without notice.

Part No	Description	RRP Inc GST
MIPRO Wireless Microphones		
ACT 300 Series Systems		
ACT311B-HH-5	MIPRO Handheld package. Includes ACT311B-5 receiver, ACT32H-5 handheld mic and MD20 mic clip. 5NB frequency band.	595.00
ACT311B-HH-6	MIPRO Handheld package. Includes ACT311B-6 receiver, ACT32H-6 handheld mic and MD20 mic clip. 6B frequency band.	595.00
ACT311B-BP-5	MIPRO Bodypack/Lapel package. Includes ACT311B-5 receiver, ACT32T-5 bodypack transmitter mic and MU53L lapel mic. 5NB frequency band.	639.00
ACT311B-BP-6	MIPRO Bodypack/Lapel package. Includes ACT311B-6 receiver, ACT32T-6 bodypack transmitter mic and MU53L lapel mic. 6B frequency band.	639.00
ACT 300 Series Components		
Receivers		
ACT311B-5	MIPRO Single Channel Diversity Receiver. 1/2 RU metal rack mountable receiver. 961 selectable frequencies, detachable antenna, XLR and 6.35mm jack outputs. Features Auto Scan and ACT for one-button frequency sync to transmitters. Single and Dual rack kits available. 5NB frequency band.	329.00
ACT311B-6	MIPRO Single Channel Diversity Receiver. 1/2 RU metal rack mountable receiver. 961 selectable frequencies, detachable antenna, XLR and 6.35mm jack outputs. Features Auto Scan and ACT for one-button frequency sync to transmitters. Single and Dual rack kits available. 6B frequency band.	329.00
ACT312B-5	MIPRO Dual Channel Diversity Receiver. 1/2 RU metal rack mountable receiver. 961 selectable frequencies, detachable antenna, independent XLR and 6.35mm jack outputs and selectable jack mixed output. Features Auto Scan and ACT for one-button frequency sync to transmitters. Single and Dual rack kits available. 5NB frequency band.	629.00
ACT312B-6	MIPRO Dual Channel Diversity Receiver. 1/2 RU metal rack mountable receiver. 961 selectable frequencies, detachable antenna, independent XLR and 6.35mm jack outputs and selectable jack mixed output. Features Auto Scan and ACT for one-button frequency sync to transmitters. Single and Dual rack kits available. 6B frequency band.	629.00
Standard Battery Transmitters		
ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32H-6	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 6B frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
ACT32T-6	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 6B frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
Rechargeable Transmitters		
ACT32HC-5	MIPRO Rechargeable Handheld Transmitter with Supercardioid Condenser capsule. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 5NB frequency band.	329.00
ACT32HC-6	MIPRO Rechargeable Handheld Transmitter with Supercardioid Condenser capsule. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 6B frequency band.	329.00
ACT32TC-5	MIPRO Rechargeable Bodypack Transmitter. Lightweight and compact size. LCD Status Screen. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	305.00
ACT32TC-6	MIPRO Rechargeable Bodypack Transmitter. Lightweight and compact size. LCD Status Screen. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 6B frequency band. **Mic not included, please select lapel or headworn mics below**	305.00
MP80	MIPRO Desktop Charging Station for ACT32HC and ACT32TC. Features two charging slots, each of which can accept a ACT32HC, ACT32TC or MB-5 battery. Charge any two transmitters or batteries simultaneously. Also includes storage slots for two spare batteries.	260.00
MB-5	MIPRO Replacement or Spare Battery for ACT32HC and ACT32TC. Li-on 3.7 V / 1.5 AH battery.	33.00

Lapel and Headworn Mics for Bodypacks

MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53LS	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	86.00
MU55L	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	149.00
MU55LS	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige.	149.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00
MU53HNS	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	160.00
MU55HN	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	265.00
MU55HNS	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige	279.00
MU23d	MIPRO Ultra-miniature Headworn Microphone for Bodypack Transmitters. Only 3mm. Omni-directional Condenser Microphone with detachable 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Supplied with three size ear-hooks. Detachable boom can be worn on either left or right. Resistant to moisture and perspiration. Beige	329.00

Specialised Transmitters for ACT300 Series and MA Series Portables

ACT22T	MIPRO Miniature Headworn Transmitter. Use in conjunction with MU23d headworn microphone for complete freedom - no bodypack or cable. Features a built-in rechargeable lithium battery with a quick charger. Use with MU23d headworn mic (purchased separately) and transmit to ACT311B, ACT312B or MA Series Portable PA's fitted with compatible modules. 5NB frequency band.	329.00
BC100T/MM205	MIPRO Wireless Base with 485mm Gooseneck Microphone. Mic base features an integrated transmitter with rechargeable lithium battery. Features Talk/Mute switch on base with LED status indication. Gooseneck mic is a 485mm cardioid condenser. Suits ACT311B, ACT312B or MA Series Portable PA's fitted with compatible modules. 5NB frequency band.	495.00
ST32-5	MIPRO Wireless Saxophone set. Includes 3 mic capsules for different sax types. Compact transmitter fitted with mic on gooseneck with clip designed to securely hold the ST32 to the bell of a saxophone or another wind instrument. Includes three different mic capsules to match various types of saxophones. ACT311B, ACT312B or MA Series Portable PA's fitted with compatible modules. 5NB frequency band.	659.00

Accessories

FB71	MIPRO Rack Kit to mount a single ACT311B or ACT312B in a standard 1RU 19" rack.	58.00
FB72	MIPRO Rack Kit to mount a two ACT300 series receivers side by side in a standard 1RU 19" rack.	32.00
FBC71	MIPRO Rear-to-front antenna cables, to allow front mounting of antennae when used with FB71 or FB72 rack kits. Cables supplied as a pair.	48.00

ACT 2400 Series Digital 2.4GHz Systems

		RRP Inc GST
ACT2401-HH	MIPRO Handheld package. Digital 2.4GHz system includes ACT2401 receiver, ACT24HC rechargeable handheld mic with MB-5 lithium battery, MP80 charging station and MD20 mic clip. 2.4GHz frequency band.	659.00
ACT2401-BP	MIPRO Bodypack/Lapel package. Digital 2.4GHz system includes ACT2401 receiver, ACT24TC rechargeable bodypack transmitter with MB-5 lithium battery, MU53L lapel mic, MP80 charging station. 2.4GHz frequency band.	699.00

ACT 2400 Series Digital 2.4GHz Components

		RRP Inc GST
Receivers		
ACT2401	MIPRO Single Channel 2.4GHz Digital Diversity Receiver. 1/2 RU metal rack mountable receiver. Frequency Hopping Spread Spectrum technology over 83MHz of spectrum, true diversity reception. Fixed antenna, XLR and 6.35mm jack outputs. Features Auto Scan and ACT for one-button frequency sync to transmitters. Single and Dual rack kits available. 2.4GHz frequency band.	409.00
ACT2412A	MIPRO Dual Channel 2.4GHz Digital Diversity Receiver. 1 RU metal rack mountable receiver. Frequency Hopping Spread Spectrum technology over 83MHz of spectrum, true diversity reception. Detachable antenna with daisy-chain antenna link to next receiver, XLR and 6.35mm jack outputs and mixed output switch. Features Auto Scan and ACT for one-button frequency sync to transmitters. Includes rack kit. 2.4GHz frequency band.	825.00

ACT2414A	MIPRO Four Channel 2.4GHz Digital Diversity Receiver. 1 RU metal rack mountable receiver. Frequency Hopping Spread Spectrum technology over 83MHz of spectrum, true diversity reception. Detachable antenna with daisy-chain antenna link to next receiver, XLR and 6.35mm jack outputs and mixed output switch. Features Auto Scan and ACT for one-button frequency sync to transmitters. Includes rack kit. 2.4GHz frequency band.	1,599.00
MRM24	MIPRO 2.4GHz Digital Diversity Receiver Module. Suits MA505, MA705, MA707, MA708 and MA808. Each channel has four frequency hopping frequencies. Features Auto Scan and ACT for one-button frequency sync to transmitters. 2.4GHz frequency band.	345.00

Rechargeable Transmitters

ACT24HC	MIPRO Rechargeable 2.4GHz Digital Handheld Transmitter with Condenser capsule. Battery Status Display. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 2.4GHz frequency band.	329.00
ACT24TC	MIPRO Rechargeable 2.4GHz Digital Bodypack Transmitter. Lightweight and compact size. Battery Status display. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 2.4GHz frequency band. **Mic not included, please select lapel or headworn mics below**	310.00
MT-24	MIPRO Rechargeable 2.4GHz Digital Transmitter with 3.5mm plug for direct connection to smartphones, projectors etc. Supplied threaded 6.35mm adaptor allows connection to guitars, keyboards, mixers etc. Battery Status display. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station (with supplied MPA-24 charger adaptor). 2.4GHz frequency band.	329.00

Lapel and Headworn Mics for Bodypacks

MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53LS	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	86.00
MU55L	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	149.00
MU55LS	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige.	149.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00
MU53HNS	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	160.00
MU55HN	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	265.00
MU55HNS	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige	279.00
MU23d	MIPRO Ultra-miniature Headworn Microphone for Bodypack Transmitters. Only 3mm. Omni-directional Condenser Microphone with detachable 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Supplied with three size ear-hooks. Detachable boom can be worn on either left or right. Resistant to moisture and perspiration. Beige	329.00

Accessories

FB71	MIPRO Rack Kit to mount a single ACT2401 in a standard 1RU 19" rack.	58.00
FB72	MIPRO Rack Kit to mount two ACT2401 series receivers in a standard 1RU 19" rack.	32.00
FBC71	MIPRO Rear-to-front antenna cables, to allow front mounting of antennae when used with FB71 or FB72 rack kits. Cables supplied as a pair. Not compatible with ACT2401 receivers.	48.00
MP80	MIPRO Desktop Charging Station for ACT24HC and ACT24TC. Features two charging slots, each of which can accept a ACT24HC, ACT24TC or MB-5 battery. Charge any two transmitters or batteries simultaneously. Also includes storage slots for two spare batteries.	260.00
MB-5	MIPRO Replacement or Spare Battery for ACT24HC and ACT24TC. Li-on 3.7 V / 1.5 AH battery.	33.00

Antenna Accessories for ACT2412A and ACT2414A

AT-24	MIPRO 2.4 GHz Quasi-Circularly-Polarized Receiving Antenna. Built-in 12 dB booster. Waterproof and weather resistant and ideal for both outdoor and indoor applications. TNC female connector. Up to 10m distance on RG58 from receiver. Can be extended with MPB-24 booster. AT-24 be stand mounted on a mic stand, or wall mounted with MS-90 bracket.	495.00
MPB-24	MIPRO 2.4GHz antenna booster with 20 dB gain to compensate for signal loss due to long antenna cables. Position between receiver and AT-24 for a total RG58 cable distance of 40m (max 20m between receiver and MPB-24, and max 20m between MPB-24 and AT-24). TNC connectors.	205.00

ACT 70 Series Wideband Components RRP Inc GST

Receivers

ACT71	MIPRO Single Channel Wideband Diversity Receiver. 1/2 RU metal rack mountable receiver. 400 preset channels over an impressive 72MHz of spectrum. Detachable antenna, XLR and 6.35mm jack outputs. Features Auto Scan and ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. Includes single rack kit. 6UA frequency band.	609.00
ACT72	MIPRO Dual Channel Wideband Diversity Receiver. 1 RU metal rack mountable receiver. 400 preset channels over an impressive 72MHz of spectrum. Detachable antenna, XLR outputs per channel, plus a mixed XLR out. Features Auto Scan and ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 6UA frequency band.	1,155.00
ACT74	MIPRO Four Channel Wideband Diversity Receiver. 1 RU metal rack mountable receiver. 400 preset channels over an impressive 72MHz of spectrum. Detachable antenna, XLR outputs per channel, plus a mixed XLR out. Features Auto Scan and ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 6UA frequency band.	2,259.00

ACT72-DANTE	MIPRO Dual Channel Wideband Diversity Receiver with Dante. 1 RU metal rack mountable receiver. 400 preset channels over an impressive 72MHz of spectrum. detachable antenna, XLR outputs per channel, plus a mixed XLR out. Dante port for digital CAT5e connection to a Dante network. Features Auto Scan and ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 6UA frequency band.	1,815.00
ACT74-DANTE	MIPRO Four Channel Wideband Diversity Receiver with Dante. 1 RU metal rack mountable receiver. 400 preset channels over an impressive 72MHz of spectrum. Detachable antenna, XLR outputs per channel, plus a mixed XLR out. Dante port for digital CAT5e connection to a Dante network. Features Auto Scan and ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 6UA frequency band.	2,899.00

Standard Battery Transmitters

ACT70H	MIPRO Wideband Handheld Transmitter. Metal housing with Condenser Microphone capsule. LCD Status Screen. Runs on 2 x AA batteries. 6UA frequency band.	509.00
ACT70T	MIPRO Ultra slim Bodypack Transmitter. Magnesium alloy housing. LCD Status Screen. Runs on 2 x AA batteries. 6UA frequency band. **Mic not included, please select lapel or headworn mics below**	485.00

Rechargeable Transmitters

ACT70HC	MIPRO Rechargeable Wideband Handheld Transmitter. Metal housing with Condenser capsule. LCD Status Screen. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 6UA frequency band.	585.00
ACT70TC	MIPRO Rechargeable Wideband Bodypack Transmitter. Ultra slim magnesium alloy housing. Lightweight and compact size. LCD Status Screen. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 6UA frequency band. **Mic not included, please select lapel or headworn mics below**	569.00
MP80	MIPRO Desktop Charging Station for ACT70HC and ACT70TC. Features two charging slots, each of which can accept a ACT70HC, ACT70TC or MB-5 battery. Charge any two transmitters or batteries simultaneously. Also includes storage slots for two spare batteries.	260.00
MB-5	MIPRO Replacement or Spare Battery for ACT70HC and ACT70TC. Li-on 3.7 V / 1.5 AH battery.	33.00

Lapel and Headworn Mics for Bodypacks

MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53LS	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	86.00
MU55L	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	149.00
MU55LS	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige.	149.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00
MU53HNS	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	160.00
MU55HN	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	265.00
MU55HNS	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige	279.00
MU23d	MIPRO Ultra-miniature Headworn Microphone for Bodypack Transmitters. Only 3mm. Omni-directional Condenser Microphone with detachable 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Supplied with three size ear-hooks. Detachable boom can be worn on either left or right. Resistant to moisture and perspiration. Beige	329.00

Accessories

FB71	MIPRO Rack Kit to mount a single ACT71 in a standard 1RU 19" rack.	58.00
FB72	MIPRO Rack Kit to mount a two ACT71 series receivers side by side in a standard 1RU 19" rack.	32.00
FBC71	MIPRO Rear-to-front antenna cables, to allow front mounting of antennae when used with FB71 or FB72 rack kits. Cables supplied as a pair.	48.00

Software Control Option

MIPRO-DVU	MIPRO-DVU allows control and monitoring of up to 64 channels of ACT70 or ACT800 Series Systems. Receivers link via RJ11 terminated cable and the MIPRO-DVU provides an RJ11 to USB dongle along with software. Control and monitor up to 300m away. Includes high-performance spectrum analyser, monitoring of battery status, AF/RF and Antenna A/B strength. Also provides signal logging system for post-event analysis. New optional MES-100 allows connection to Ethernet for browser based control/monitoring.	295.00
MES-100	MIPRO MES-100 bridges the RJ11 ACT control bus to Ethernet allowing users to control and monitor up to 64 receiver channels from any Ethernet based laptop with a browser. Or add a Wireless Access Point for wireless control/monitoring from any smartphone, tablet or similar device with a browser.	475.00

ACT 800 Series Digital Wideband Components

RRP Inc GST

Receivers

ACT818	MIPRO Single Channel Wideband Digital Diversity Receiver with Encryption. 1/2 RU metal rack mountable receiver. 20Hz-20kHz (-2dB) frequency response with 256 bit encryption. Fully digital with impressive 2.9ms latency (to analogue output). Auto Scan operates over an impressive 64MHz of spectrum. detachable antenna, XLR and 6.35mm jack outputs. AES3id output on BNC. Features ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 10 built-in SmartEQ presets and user definable capsule equalisation. Single rack kit included. 5F frequency band.	1,285.00
---------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

ACT828	MIPRO Dual Channel Wideband Digital Diversity Receiver with Encryption. 1 RU metal rack mountable receiver. 20Hz-20kHz (-2dB) frequency response with 256 bit encryption. Fully digital with impressive 2.9ms latency (to analogue output). Auto Scan operates over an impressive 64MHz of spectrum. detachable antenna, XLR and 6.35mm jack outputs. AES output on XLR. Features ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 10 built-in SmartEQ presets and user definable capsule equalisation. Rack kit included 5F frequency band.	2,539.00
ACT848	MIPRO Quad Channel Wideband Digital Diversity Receiver with Encryption. 1 RU metal rack mountable receiver. 20Hz-20kHz (-2dB) frequency response with 256 bit encryption. Fully digital with impressive 2.9ms latency (to analogue output). Auto Scan operates over an impressive 64MHz of spectrum. detachable antenna, XLR and 6.35mm jack outputs. AES output on XLR. Features ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 10 built-in SmartEQ presets and user definable capsule equalisation. Rack kit included 5F frequency band.	3,259.00
ACT828-DANTE	MIPRO Dual Channel Wideband Digital Diversity Receiver with Encryption and Dante. 1 RU metal rack mountable receiver. 20Hz-20kHz (-2dB) frequency response with 256 bit encryption. Fully digital with impressive 2.9ms latency (to analogue output). Auto Scan operates over an impressive 64MHz of spectrum. detachable antenna, XLR and 6.35mm jack outputs. Dante port for digital CAT5e connection to a Dante network. AES output on XLR. Features ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 10 built-in SmartEQ presets and user definable capsule equalisation. Rack kit included. 5F frequency band.	3,215.00
ACT848-DANTE	MIPRO Quad Channel Wideband Digital Diversity Receiver with Encryption and Dante. 1 RU metal rack mountable receiver. 20Hz-20kHz (-2dB) frequency response with 256 bit encryption. Fully digital with impressive 2.9ms latency (to analogue output). Auto Scan operates over an impressive 64MHz of spectrum. detachable antenna, XLR and 6.35mm jack outputs. Dante port for digital CAT5e connection to a Dante network. AES output on XLR. Features ACT for one-button frequency sync to transmitters. Control and monitor up to 64 receiver channels via optional MIPRO-DVU USB dongle and software. 10 built-in SmartEQ presets and user definable capsule equalisation. Rack kit included. 5F frequency band.	3,899.00
ACT80H	MIPRO Wideband Handheld Digital Transmitter. Metal housing with Condenser Microphone capsule. Three selectable gain settings, 256 bit encryption, LCD Status Screen. Runs on 2 x AA batteries. 5F frequency band.	925.00
ACT80T	MIPRO Ultra slim Wideband Bodypack Digital Transmitter. Magnesium alloy housing. LCD Status Screen. Runs on 2 x AA batteries. 5F frequency band. **Mic not included, please select lapel or headworn mics below**	875.00
ACT80HC	MIPRO Rechargeable Wideband Handheld Digital Transmitter. Metal housing with Condenser capsule. Three selectable gain settings, 256 bit encryption, LCD Status Screen. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 5F frequency band.	989.00
ACT80TC	MIPRO Rechargeable Wideband Bodypack Digital Transmitter. Ultra slim magnesium alloy housing. Lightweight and compact size. 256 bit encryption. LCD Status Screen. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 5F frequency band. **Mic not included, please select lapel or headworn mics below**	949.00
TA-80	MIPRO Rechargeable Plug-on Digital Transmitter with XLR input. For direct connection to measurement microphones, interview microphones etc. Switchable 48V phantom power, up to 10mA current load. Flat and wide frequency response. Alloy housing. Lightweight and compact size. LCD Status Screen. Runs on supplied MB-5 Lithium battery. Use with supplied MP-8T one-slot charger or optional MP80 charging station (requires MPA-80 charger adaptor). 5F frequency band.	1,315.00
MP80	MIPRO Desktop Charging Station for ACT80HC, ACT80TC and TA80. Features two charging slots, each of which can accept a ACT80HC, ACT80TC, TA80 or MB-5 battery. Charge any two transmitters or batteries simultaneously. Also includes storage slots for two spare batteries.	260.00
MPA-80	MIPRO Adaptor to allow TA-80 transmitter to fit MP80 charging station. Use one charging slot of MP80.	25.00
MB-5	MIPRO Replacement or Spare Battery for ACT80HC and ACT80TC. Li-on 3.7 V / 1.5 AH battery.	33.00

Lapel and Headworn Mics for Bodypacks

MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53LS	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	86.00
MU55L	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	149.00
MU55LS	MIPRO Sub miniature Lapel Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige.	149.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00
MU53HNS	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Beige.	160.00
MU55HN	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Black.	265.00
MU55HNS	MIPRO Sub miniature Headworn Microphone for Bodypack Transmitters. Only 4.5mm. Omni-directional Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Inconspicuous, lightweight and waterproof. Beige	279.00
MU23d	MIPRO Ultra-miniature Headworn Microphone for Bodypack Transmitters. Only 3mm. Omni-directional Condenser Microphone with detachable 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Supplied with three size ear-hooks. Detachable boom can be worn on either left or right. Resistant to moisture and perspiration. Beige	329.00

Accessories

FB71	MIPRO Rack Kit to mount a single ACT818 in a standard 1RU 19" rack.	58.00
-------------	---------------------------------------------------------------------	-------

FB72	MIPRO Rack Kit to mount a two ACT818 series receivers side by side in a standard 1RU 19" rack.	32.00
FBC71	MIPRO Rear-to-front antenna cables, to allow front mounting of antennae when used with FB71 or FB72 rack kits. Cables supplied as a pair.	48.00

Software Control Option

MIPRO-DVU	MIPRO-DVU allows control and monitoring of up to 64 channels of ACT70 or ACT800 Series Systems. Receivers link via RJ11 terminated cable and the MIPRO-DVU provides an RJ11 to USB dongle along with software. Control and monitor up to 300m away. Includes high-performance spectrum analyser, monitoring of battery status, AF/RF and Antenna A/B strength. Also provides signal logging system for post-event analysis. New optional MES-100 allows connection to Ethernet for browser based control/monitoring.	295.00
MES-100	MIPRO MES-100 bridges the RJ11 ACT control bus to Ethernet allowing users to control and monitor up to 64 receiver channels from any Ethernet based laptop with a browser. Or add a Wireless Access Point for wireless control/monitoring from any smartphone, tablet or similar device with a browser.	475.00

MIPRO Antenna Systems

Antenna Options		RRP Inc GST
AD12	MIPRO Passive Antenna Divider/Combiner. The AD12 can allow two antennae to be connected to one receiver antenna output (for distributed antenna applications), or can combine two receiver antenna outputs for connection to a single antenna.	129.00
AD707a	MIPRO 4-Channel Antenna Divider with cables. Allows up to four UHF diversity receivers to operate from a single pair of antennas, greatly simplifying antenna installation, reducing clutter, and increasing range and efficiency. Wideband operation covering full legal spectrum. Includes 8 x cables with TNC's	1,155.00
AT70Wa	MIPRO Omni-directional Transmit/Receive Antenna. TNC input connectors to connect with a receiver or a transmitter. RX connector has a 0-12dB adjustable booster. Can either be mounted on a mic stand or wall-mounted with MS-90 bracket. Priced per unit.	405.00
AT90Wa	MIPRO Directional Transmit/Receive Antenna. Bi-functional log antenna with 130H x 75V degree coverage. TNC input connectors to connect with a receiver or a transmitter. RX connector has a 0-12dB adjustable booster. Can either be mounted on a mic stand or wall-mounted with MS-90 bracket. Priced per unit.	405.00
AT100a	MIPRO Circularly Polarized Antenna. The AT-100a circularly polarized antenna can effectively reduce the polarization loss of the antenna to improve signal strength. TNC input connectors to connect with a receiver or a transmitter. RX connector has a 0-12dB adjustable booster. Waterproof and weather resistant for outdoor installations. Can either be mounted on a mic stand or wall-mounted with MS-90 bracket. Priced per unit.	1,299.00
MS90	MIPRO Wall Mounting bracket for AT70Wa, AT90Wa and AT100a. Priced per unit	99.00
MPB20	MIPRO UHF Antenna Booster. Provides 13dB of gain to compensate for signal loss due to long antenna cable runs. TNC connectors. Can be powered externally or direct from MIPRO receivers.	275.00
MPB30	MIPRO UHF Gain Controllable Antenna Booster. Works with the AD-708 antenna divider to detect and automatically compensate for the signal loss of cables by controlling the built-in variable 0-14dB. TNC connectors.	362.00
MP10	MIPRO Power Supply for Boosters. The MP10 can independently provide power to antenna boosters which allows for larger or more complex antenna dividing systems.	169.00
AD702	MIPRO Antenna Auto Gain Controller. Automatically detects the signal loss between the built-in booster of the antenna and AD702 itself. Can control and compensate for the signal loss of antenna cables precisely and automatically. Includes a bright LED indicator to identify antenna cable signal loss as well as the booster compensation status.	239.00
AD708	MIPRO UHF 4-Channel Auto Gain-Control Antenna Divider. The AD-708 is designed to work with an MPB-30 gain-controllable antenna booster to detect the signal loss to control and compensate for the signal loss of antenna cables precisely and automatically in order to avoid the intermodulation caused by the higher gain supply from the booster.	1,235.00

MIPRO Tour Guide and Assistive Listening Systems

MTG 100 Series Digital 900MHz Encrypted Tour Guide/Assistive Listening System

Transmitters		RRP Inc GST
MTG-100T	MIPRO Compact Bodypack Transmitter for Tour Guide/Assistive Listening System. Integrated Lithium battery which is charged by the MTG-C series drop-in chargers. 16 channels, 4 of which can be used side by side (allowing four different tour groups or language translation). Use with MU101P headworn mic. Supplied with lanyard.	445.00
MTG-100Ta	MIPRO Compact Bodypack Transmitter for Tour Guide/Assistive Listening System. Runs from 2 x AA batteries. 16 channels, 4 of which can be used side by side (allowing four different tour groups or language translation). Use with MU101P headworn mic. Supplied with lanyard.	445.00
MU101P	MIPRO Headworn Microphone for MTG-100T and MTG-100Ta. Cardioid condenser mic with 1.5m cable terminated in 3.5mm screw-in jack to suit MTG-100T/Ta.	140.00
MTG-100Ha	MIPRO Handheld Wireless Microphone for Tour Guide/Assistive Listening System. Runs from 2 x AA batteries. 16 channels, 4 of which can be used side by side (allowing four different tour groups or language translation)	495.00
MTS-100	MIPRO Stationary Transmitter for Tour Guide/Assistive Listening System. Combo XLR/6.35mm input which can be switched between Mic/Line level. Switchable +48V Phantom Power for Mic Input. Rack mount via FB71 or two units via FB72 rack kits. Supplied with a standard rear panel antenna. Can also be used with AT70Wa Omni or AT90Wa Directional Antennas.	825.00
Receivers		
MTG-100R	MIPRO Compact Bodypack Receiver for Tour Guide/Assistive Listening System. Easy to use and true diversity for exceptional reception quality. Integrated Lithium battery which is charged by the MTG-C series drop-in chargers. Use with E5s or E20S lightweight headphones. Supplied with lanyard.	345.00
MTG-100Ra	MIPRO Compact Bodypack Receiver for Tour Guide/Assistive Listening System. Easy to use and true diversity for exceptional reception quality. Runs on 2 x AA batteries. Use with E5s or E20S lightweight headphones. Supplied with lanyard.	345.00

Neckloop, Earphones and Headphones for Receivers

NeckLoop	UNIVOX Neck loop for MTG-100R and MTG-100Ra. Personal neck-worn induction loop for hearing aid users. 55cm cord terminated in a 3.5mm jack.	109.00
E5S	MIPRO Single-sided earphone with 3.5 mm stereo mini jack. For MTG-100R or MTG-100Ra portable digital receiver.	30.00
E5S-100	MIPRO Disposable ear-pads for E5S single-sided earphone (pack of 100 pieces)	108.00
E20S	MIPRO Lightweight headphones with 3.5 mm stereo mini jack. For MTG-100R or MTG-100Ra portable digital receiver.	42.00
E20S-100	MIPRO Disposable ear-pads for E20S headphones (pack of 100 pieces)	108.00

Replacement Lanyards

NL5	Replacement Lanyards for MTG transmitters and receivers. Pack of 5.	24.00
------------	---------------------------------------------------------------------	-------

Charging Stations for MTG-100T and MTG-100R

MTG-100C4	MIPRO 4-slot charger for MTG-100T and MTG-100R. Quick charge in less than 4 hours. Red and green LED indication per slot.	345.00
MTG-100C-CR	MIPRO Rack Kit to mount up to 4 x MTG-100C4 in a standard 19 rack. Great for both portable and fixed applications. Charge up to 16 MTG units in just 4 rack spaces. 4RU.	140.00
MTG-100C12	MIPRO 12-slot charger and carry case. Quick charge in less than 4 hours. Red and green LED indication per slot. Innovative "Sync" button for automatic frequency synchronization from master to all MTG-100R receivers and MTG-100T transmitters. organises 10 earphones and 2 headset microphone neatly in one case.	1,649.00
MTG-100C28	MIPRO 28-slot charger and carry case. Quick charge in less than 4 hours. Red and green LED indication per slot. Innovative "Sync" button for automatic frequency synchronization from master to all MTG-100R receivers and MTG-100T transmitters. organises 24 earphones and 2 headset microphone neatly in one case. Optional Ethernet management software.	2,475.00
PC-100	MIPRO Ethernet based management and control software for MTG-100C28 charging case.	377.00

ACT24R Digital 2.4GHz Tour Guide/Assistive Listening System RRP Inc GST

Transmitters

ACT24TC	MIPRO Rechargeable 2.4GHz Digital Bodypack Transmitter. Lightweight and compact size. Battery Status display. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 2.4GHz frequency band. **Mic not included. Please select headworn mic below or choose from any MIPRO lapel or headworn mics**	310.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00
ACT24HC	MIPRO Rechargeable 2.4GHz Digital Handheld Transmitter with Condenser capsule. Battery Status Display. Runs on supplied MB-5 Lithium battery. Use with MP80 charging station. 2.4GHz frequency band.	329.00
MP80	MIPRO Desktop Charging Station for ACT24HC, ACT24TC and ACT24R Receiver. Features two charging slots, each of which can accept a ACT24HC, ACT24TC, ACT24R or MB-5 battery. Charge any two transmitters or batteries simultaneously. Also includes storage slots for two spare batteries.	260.00
MT24A	MIPRO Stationary 2.4GHz Transmitter for Tour Guide/Assistive Listening System. Combo XLR/6.35mm input which can be switched between Mic/Line level. Switchable +48V Phantom Power for Mic Input. Rack mount via FB71 or two units via FB72 rack kits. Supplied with a standard rear panel antenna.	659.00

Receivers

ACT24R	MIPRO Rechargeable 2.4GHz Digital Tour Guide and Assistive Listening Receiver. 12 selectable channels. Easy to use and true diversity for exceptional reception quality. Lightweight and compact size. Runs on supplied MB-5 Lithium battery. Use with MP80 charger. 2.4GHz frequency band	305.00
---------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Neckloop, Earphones and Headphones for Receivers

NeckLoop	UNIVOX Neck loop for ACT24R. Personal neck-worn induction loop for hearing aid users. 55cm cord terminated in a 3.5mm jack.	109.00
E5S	MIPRO Single-sided earphone with 3.5 mm stereo mini jack. For MTG-100R or MTG-100Ra portable digital receiver.	30.00
E5S-100	MIPRO Disposable ear-pads for E5S single-sided earphone (pack of 100 pieces)	108.00
E20S	MIPRO Lightweight headphones with 3.5 mm stereo mini jack. For MTG-100R or MTG-100Ra portable digital receiver.	42.00
E20S-100	MIPRO Disposable ear-pads for E20S headphones (pack of 100 pieces)	108.00

MIPRO In-Ear Monitoring System

Digital Stereo IEM System RRP Inc GST

Transmitter

MI909T	MIPRO Digital Stereo IEM transmitter. 1/2 RU metal rack mountable enclosure. Digitally encrypted technology with 20Hz-15kHz frequency response. Left and Right combo XLR/6.35mm inputs and 6.35mm loop outputs. Up to 16 compatible channels over 64MHz of spectrum. Integrated DSP 3 band EQ with easy to use LCD screen menu. Rack mount with FB71 or dual units with FB72. Can be used with AT90Wa Directional Antenna. 5F frequency band.	989.00
---------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Receiver and Earpieces

MI909R	MIPRO Bodypack receiver with a lightweight, yet rugged magnesium and glass-fibre reinforced plastic case. Dual antenna diversity design with soft unbreakable antennas. Selectable stereo, mono and mixed output modes. Selectable EQ settings. applications. 5F frequency band.	889.00
E8S	MIPRO Lightweight ear pieces for MI909R. In-ear, closed back design supplied with S/M/L earbud covers. 16 ohms. Noise isolation >25dB. 1.5m cable terminated in 3.5mm connector.	115.00

MIPRO ENG System

Electronic News Gathering (ENG) Receiver RRP Inc GST

Receiver

MR90B-5	MIPRO Compact Wireless Diversity Receiver designed for professional camcorder applications. Water resistant, compact, and ultra-thin rugged aluminium housing construction. Detachable battery pack accessory needs only two AA batteries to provide at least 8 continuous hours of operation, eliminating the need for external power. 100 preset channels in 24 MHz band can be easily auto-scanned for a clear, interference-free frequency. Precision SMA antenna connectors with detachable soft antennas. 5NB frequency band.	875.00
MR90SB	MIPRO Battery Pack for MR90B. Ideal for a wide range of camcorders, the MR90SB is also ideal for connection active speakers and interfacing with other audio equipment. MR90SB requires two AA-sized batteries, eliminating the need for an external power source.	147.00

Transmitters

MR90B-5 is compatible with the ACT300 Series transmitters.

ACT80	MIPRO Compact Wireless Digital Diversity Receiver designed for professional camcorder applications. Water resistant, compact, and ultra-thin rugged aluminium housing construction. Detachable battery pack accessory needs only two AA batteries to provide at least 8 continuous hours of operation, eliminating the need for external power. 216 preset channels in 64 MHz band can be easily auto-scanned for a clear, interference-free frequency. Precision SMA antenna connectors with detachable soft antennas. 5F frequency band.	989.00
MR90SB	MIPRO Battery Pack for ACT80. Ideal for a wide range of camcorders, the MR90SB is also ideal for connection active speakers and interfacing with other audio equipment. MR90SB requires two AA-sized batteries, eliminating the need for an external power source.	147.00

Transmitters

ACT80 is compatible with the ACT80 Series transmitters.

MIPRO Wired Microphones

Cabled Microphones		RRP Inc GST
Handheld		
MM107	MIPRO Supercardioid Dynamic wired microphone with on/off switch. Great all-rounder for speech and performance applications. Includes 5m XLR-XLR cable.	65.00
MM39	MIPRO Supercardioid Dynamic wired microphone with on/off switch. Unique shock absorbing design for low handling noise. Includes 5m XLR-XLR cable, mic clip and carry bag.	198.00
2FA034	MIPRO XLR-Jack (6.35mm) Coiled Microphone Cable. To connect MM107 or MM39 microphones with MA100, MA101, MA202 and MA303 Portable PA's.	20.00
Gooseneck		
MM202J	MIPRO Condenser Uni-directional Gooseneck microphone with 3-pin XLR. Perfect for lectern and conference table applications. 485mm in length.	229.00

MIPRO Accessories

Specialised Transmitters for ACT300 Series and MA Series Portables		RRP Inc GST
ACT22T	MIPRO Miniature Headworn Transmitter. Use in conjunction with MU23d headworn microphone for complete freedom - no bodypack or cable. Features a built-in rechargeable lithium battery with a quick charger. Use with MU23d headworn mic (purchased separately) and transmit to ACT311B, ACT312B or MA Series Portable PA's fitted with compatible modules. 5NB frequency band.	329.00
BC100T/MM205	MIPRO Wireless Base with 485mm Gooseneck Microphone. Mic base features an integrated transmitter with rechargeable lithium battery. Features Talk/Mute switch on base with LED status indication. Gooseneck mic is a 485mm cardioid condenser. ACT311B, ACT312B or MA Series Portable PA's fitted with compatible modules. 5NB frequency band.	495.00
ST32-5	MIPRO Wireless Saxophone set. Includes 3 mic capsules for different sax types. Compact transmitter fitted with mic on gooseneck with clip designed to securely hold the ST32 to the bell of a saxophone or another wind instrument. Includes three different mic capsules to match various types of saxophones. ACT311B, ACT312B or MA Series Portable PA's fitted with compatible modules. 5NB frequency band.	659.00

General Accessories

General Accessories		RRP Inc GST
MD20	MIPRO Mic clip for wireless handheld microphones.	13.50
MJ53	MIPRO MJ53 allows a condenser microphone with mini XLR plug to connect directly to the XLR jack input of a mixer which provides 12 -48 V DC phantom power. Perfect when using MU series lapel and headworn mics for non-wireless applications.	58.00
MJ70	MIPRO Remote Mute Switch for Bodypack Transmitters. Simply plug into the mute jack on a MIPRO bodypack and easily and discreetly mute the audio with the push button. Compatible with ACT24TC, ACT32T, ACT32TC, ACT70T, ACT70TC, ACT80T and ACT80TC bodypack transmitters.	58.00
MD101	MIPRO Bodypack Transmitter Holder. Use with MM202S Gooseneck Mic and create a desktop wireless solution using a standard MIPRO bodypack.	75.00
MM202S	MIPRO Short Condenser Uni-directional Gooseneck Microphone with mini 4-pin XLR for direct connection to MIPRO bodypack transmitters. Use with MD101 to create a wireless desktop mic for lecterns or boardroom tables. 130mm length.	165.00
MM202	MIPRO Long Condenser Uni-directional Gooseneck Microphone with mini 4-pin XLR for direct connection to MIPRO bodypack transmitters. Use with MD101 to create a wireless desktop mic for lecterns or boardroom tables. 470mm length.	215.00
BC100	MIPRO The BC-100 can be used as boundary microphone or connected with an MM205 gooseneck microphone to be a desktop conference microphone. Insert a MIPRO ACT Series bodypack transmitter into the BC-100 base as a wireless conference microphone. The back panel has a balanced XLR connector with a switch to select the audio source from either the inner boundary microphone or the optional gooseneck microphone.	229.00
MM205	MIPRO Condenser Uni-directional Gooseneck Microphone with 4-pin XLR to suit BC100. Condenser microphone, 485mm in length.	175.00
ASP30	MIPRO Aerobic Pouch (Neoprene). Compatible with ACT24TC, ACT32T, ACT32TC, ACT70T, ACT70TC, ACT80T and ACT80TC bodypack transmitters.	48.00
MU40G	MIPRO Guitar Cable. Compatible with ACT24TC, ACT32T, ACT32TC, ACT70T, ACT70TC, ACT80T and ACT80TC bodypack transmitters.	35.00
2FA034	MIPRO XLR-Jack (6.35mm) Coiled Microphone Cable. To connect MM107 or MM39 microphones with MA100, MA101, MA202 and MA303 Portable PA's.	20.00

VM22	MIPRO Violin/Viola microphone set consisting of a miniature condenser microphone and a proprietary holder. It fits snugly and is easy to install and remove without damaging the instrument. Can be strategically placed in positions that pick up the accurate sound of the instrument while minimising handling noise during performance.	289.00
VC22	MIPRO Violin Microphone cable. Use in connection with VM22. For wireless applications use the VM22 mic and VC22 cable direct into a MIPRO bodypack transmitter. For cabled applications, use the VM22 and VC22 direct into a MJ53 XLR adaptor.	125.00
RH77a	MIPRO Multi-coloured ID rings for ACT32H handheld transmitters. Set of 10.	68.00
RH87	MIPRO Multi-coloured ID rear clips for ACT70H, ACT70HC, ACT80H and ACT80HC. Set of 10.	68.00

MIPRO Portable PA Systems

MA101 Over-the-Shoulder, Carry or Stand Mount Portable PA RRP Inc GST

With Cord Mic (no receiver)

MA101PA	MIPRO Portable PA, 45 Watts with integrated rechargeable battery. 5" full range speaker. Supplied with cord microphone and shoulder strap. 6.35mm Mic Input and 3.5mm Line Input. Use on a table, microphone stand or over the shoulder. 2.2kg.	479.00
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

With Wireless Receiver

MA101B-5	MIPRO Portable PA with Wireless Receiver, 45 Watts with integrated rechargeable battery. Receiver features Auto Scan and ACT Sync. 5" full range speaker. Use with either ACT32H handheld, or ACT32T bodypack transmitters. 6.35mm Mic Input and 3.5mm Line Input, 3.5mm Line Output. Use on a desk, microphone stand or over the shoulder. 5NB frequency band. 2.2kg.	639.00
----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics.

Accessories

SC10	MIPRO Carry Bag for MA101 Series. Includes pouches for transmitters and accessories.	75.00
MS13	MIPRO tripod stand with 5/8" thread to suit MA101, MA100, MA202 and MA303 series. Extends from 96cm to 152cm. Chrome.	75.00

MA100 Over-the-Shoulder, Carry or Stand Mount Portable PA RRP Inc GST

MA100SB-5	MIPRO Portable PA, 50 Watts with Bluetooth audio player, USB Music Player/Recorder and a Single Wireless Mic Receiver with Auto Scan and ACT Sync. 5" full range speaker. Includes integrated rechargeable lithium battery and shoulder strap. 6.35mm Mic Input and 3.5mm Line Input, 3.5mm Line Output. Also includes one-button alarm/siren. Use on a table, microphone stand or over the shoulder. 5NB frequency band. 1.8kg.	689.00
-----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

MA100DB-5	MIPRO Portable PA, 50 Watts with Bluetooth audio player, USB Music Player/Recorder and Dual Wireless Mic Receivers with Auto Scan and ACT Sync. 5" full range speaker. Includes integrated rechargeable lithium battery and shoulder strap. 6.35mm Mic Input and 3.5mm Line Input, 3.5mm Line Output. Also includes one-button alarm/siren. Use on a table, microphone stand or over the shoulder. 5NB frequency band. 1.8kg.	799.00
-----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics.

Accessories

SC10	MIPRO Carry Bag for MA101 Series. Includes pouches for transmitters and accessories.	75.00
MS13	MIPRO tripod stand with 5/8" thread to suit MA101, MA100, MA202 and MA303 series. Extends from 96cm to 152cm. Chrome.	75.00

MA202B Over-the-Shoulder, Carry or Stand Mount Portable PA RRP Inc GST

MA202B-5	MIPRO Portable PA, 50 Watts with a 5" woofer and 1" tweeter. Integrated Wireless Mic Receiver with Auto Scan and ACT Sync, USB and SD Music Player. Includes integrated rechargeable lithium battery and shoulder strap. 6.35mm Mic Input and 6.35mm Line Input, 3.5mm Line Output. Features in-built charger for optional ACT222T handheld/lanyard wireless microphone. 4 segment battery indicator for both the MA202B battery and when charging the ACT222T. Use on a table, microphone stand or over the shoulder. 5NB frequency band. 2.9kg.	889.00
----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

ACT222T-5	MIPRO Rechargeable Microphone for MA202B. Can be held or worn with supplied lanyard. Includes mic volume control on the actual microphone. Features integrated lithium battery. ACT222T is charged and stored inside the MA202B. 5NB frequency band.	345.00
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Please see the ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics.

Accessories

SC20	MIPRO Carry Bag for MA202B. Includes pouches for transmitters and accessories.	80.00
MS13	MIPRO tripod stand with 5/8" thread to suit MA101, MA100, MA202 and MA303 series. Extends from 96cm to 152cm. Chrome.	75.00

MA303 Portable PA System, 60W (5"/1" drivers) RRP Inc GST

MA303SB-5	MIPRO Portable PA, 60 Watts with Bluetooth audio player, USB Music Player/Recorder and a Single Wireless Mic Receiver with Auto Scan and ACT Sync. Compact size (A4 sheet of paper dimensions) with 5" woofer and 1" tweeter. Includes integrated rechargeable lithium battery. 6.35mm Mic Input and 3.5mm Line Input, 3.5mm Line Output. Also includes one-button alarm/siren. Use on a table or microphone stand. 5NB frequency band. 2.7kg.	955.00
MA303DB-5	MIPRO Portable PA, 60 Watts with Bluetooth audio player, USB Music Player/Recorder and Dual Wireless Mic Receivers with Auto Scan and ACT Sync. Compact size (A4 sheet of paper dimensions) with 5" woofer and 1" tweeter. Includes integrated rechargeable lithium battery. 6.35mm Mic Input and 3.5mm Line Input, 3.5mm Line Output. Also includes one-button alarm/siren. Use on a table or microphone stand. 5NB frequency band. 2.7kg.	1,155.00

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics.

Accessories

SC30	MIPRO Carry Bag for MA303 Series. Includes pouches for transmitters and accessories.	81.00
MS13	MIPRO tripod stand with 5/8" thread to suit MA101, MA100, MA202 and MA303 series. Extends from 96cm to 152cm. Chrome.	75.00

MA505 Portable PA System, 100W (8"/1" drivers) RRP Inc GST

With Cord Mic (no receiver)

MA505PA	MIPRO Portable PA, 100 Watts with Bluetooth audio player. 8" woofer and 1" HF driver. Supplied with Cord Microphone. Includes integrated rechargeable lithium battery. XLR Mic Input, 6.35mm Mic Input, 3.5mm Line Input, 3.5mm Line Output. Also includes one-button alarm/siren. Use on a table or speaker stand. Can be optioned with up to two wireless modules (any combination of MRM70B receiver or MT91 interlink transmitter), or DPM3 USB/SD Player/Recorder, or CDM2 CD/USB Player Modules. 8.5kg.	1,585.00
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With USB/SD Player (no mic, no receivers)

MA505DPM3	MIPRO Portable PA, 100 Watts with Bluetooth audio player. 8" woofer and 1" HF driver. Supplied with Cord Microphone. Includes integrated DPM3 USB/SD Player/Recorder. Includes integrated rechargeable lithium battery. XLR Mic Input, 6.35mm Mic Input, 3.5mm Line Input, 3.5mm Line Output. Also includes one-button alarm/siren. Use on a table or speaker stand. Can be optioned with up to two wireless modules (any combination of MRM70B receiver or MT91 interlink transmitter), or CDM2 CD/USB Player Module. 5NB frequency band. 8.5kg.	1,945.00
-----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With Two Receivers and USB/SD Player

MA505R2DPM3	MIPRO Portable PA, 100 Watts with Bluetooth audio player, two wireless receivers and DPM3 USB/SD Audio Player/Recorder. 8" woofer and 1" HF driver. Includes integrated rechargeable lithium battery. XLR Mic Input, 6.35mm Mic Input, 3.5mm Line Input, 3.5mm Line Output. Also includes one-button alarm/siren. Use on a table or speaker stand. Can be optioned with a further two wireless modules for a total of four (use any combination of MRM70B receiver or MT91 interlink transmitter), or CDM2 CD/USB Player Module. 5NB frequency band. 8.5kg.	2,455.00
-------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics.

Accessories

MA505EXP	MIPRO Extension Speaker for MA505. Same dimensions and look as MA505. Features 8" woofer and 1" HF driver. Supplied with 10m cable. Use on a table or speaker stand.	805.00
SC-50	MIPRO Protective carry and storage bag for MA505. Includes pouches for transmitters and other accessories.	81.00
MRM70B-5	MIPRO Wireless Mic Receiver Module. Install up to two per MA505 for a total of two wireless mics from an MA505PA or MA505DPM3, or four from a MA505R2DPM3. 5NB frequency band.	360.00
MT91-6	MIPRO Wireless Interlinking Transmitter to create a wireless link to additional MIPRO Portable PA's. Receiving units must be fitted with a MRM70B-6 Receiver Module. 6B frequency band.	460.00
MRM70B-6	MIPRO Wireless Receiver Module to suit MT91-6 Interlink Transmitter. 6B frequency band.	360.00

DPM3	MIPRO USB/SD Audio Player/Recorder Module for MA505PA. Front control panel can be detached and used as a wireless USB/SD remote.	363.00
CDM2	MIPRO CD/USB Audio Player Module for all MA505 model. Includes wireless remote control.	659.00
MS70	MIPRO Tripod Speaker Stand. Adjustable from 111cm to 185cm. 5.5kg	80.00

The MA505 can also be used with the [MRM24 2.4GHz Wireless Receiver Module and associated transmitters](#).

See the [ACT2400 Series section of the price list for details](#).

MA705 Portable PA System, 70W (8" driver) RRP Inc GST

With Cord Mic (no receiver)

MA705PA	MIPRO Portable PA, 70 Watts. 8" full range speaker. Supplied with Cord Microphone. Integrated dual gel cell batteries. XLR/6.35mm Combo Mic Input, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with up to two MRM70B wireless modules and CDM2 CD/USB Player or CDM2B CD/USB/Bluetooth Module. 9.8kg.	989.00
----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

With Wireless Receiver

MA705PAM-5	MIPRO Portable PA, 70 Watts with Wireless Mic Receiver. 8" full range speaker. Integrated dual gel cell batteries. XLR/6.35mm Combo Mic Input, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with a second MRM70B wireless module and CDM2 CD/USB Player or CDM2B CD/USB/Bluetooth Module. 9.8kg. Module. 5NB frequency band. 9.8kg.	1,199.00
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

MA705CDMB-5	MIPRO Portable PA, 70 Watts with Wireless Mic Receiver and CDM2B CD/USB Player with Bluetooth. 8" full range speaker. Integrated dual gel cell batteries. XLR/6.35mm Combo Mic Input, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with a second MRM70B wireless module. 5NB frequency band. 9.8kg.	1,815.00
--------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the [ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics](#).

Accessories

MA705EXP	MIPRO Extension Speaker for MA705. Same dimensions and look as MA705. Features 8" full range speaker. Supplied with 10m cable. Use on a table or speaker stand.	525.00
SC-50	MIPRO Protective carry and storage bag for MA705. Includes pouches for transmitters and other accessories	81.00
MRM70B-5	MIPRO Wireless Mic Receiver Module. Install up to two per MA705 for a total of two wireless mics. 5NB frequency band	360.00
CDM2	MIPRO CD/USB Audio Player Module for MA705PA. Includes wireless remote control.	659.00
CDM2B	MIPRO CD/USB and Bluetooth Audio Player Module for MA705PA. Includes wireless remote control.	709.00
MS70	MIPRO Tripod Speaker Stand. Adjustable from 111cm to 185cm. 5.5kg	80.00

The MA705 can also be used with the [MRM24 2.4GHz Wireless Receiver Module and associated transmitters](#).

See the [ACT2400 Series section of the price list for details](#).

MA707 Portable PA System, 100W (8" driver) RRP Inc GST

With Cord Mic (no receiver)

MA707PA	MIPRO Portable PA, 100 Watts. 8" full range speaker. Supplied with Cord Microphone. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, 6.35mm Line Input, 6.35mm Line Output. Use on a table or speaker stand. Can be optioned with up to two MRM70B wireless modules and CDM2P CD/USB Player or CDM2BP CD/USB/Bluetooth Module. 14.8kg.	1,319.00
----------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With Wireless Receiver

MA707PAM-5	MIPRO Portable PA, 100 Watts with Wireless Mic Receiver. 8" full range speaker. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, 6.35mm Line Input, 6.35mm Line Output. Use on a table or speaker stand. Can be optioned with a second MRM70B wireless module and CDM2P CD/USB Player or CDM2BP CD/USB/Bluetooth Module. 5NB frequency band. 14.8kg.	1,515.00
-------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With Wireless Receiver and CD/USB/Bluetooth Player

MA707CDMB-5	MIPRO Portable PA, 100 Watts with Wireless Mic Receiver and CDM2BP CD/USB Audio Player with Bluetooth. 8" full range speaker. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, 6.35mm Line Input, 6.35mm Line Output. Use on a table or speaker stand. Can be optioned with a second MRM70B wireless module. 5NB frequency band. 14.8kg.	2,220.00
--------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the [ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics](#).

Accessories

MA707EXP	MIPRO Extension Speaker for MA707. Same dimensions and look as MA707. Features 8" full range speaker. Supplied with 10m cable. Use on a table or speaker stand.	625.00
SC-70	MIPRO Protective carry and storage bag for MA707. Includes pouches for transmitters and other accessories.	115.00
MRM70B-5	MIPRO Wireless Mic Receiver Module. Install up to two per MA707 for a total of two wireless mics. 5NB frequency band.	360.00
CDM2P	MIPRO CD/USB Audio Player Module for MA707PA and MA707PAM-5. Includes wireless remote control.	659.00
CDM2BP	MIPRO CD/USB/Bluetooth Audio Player Module for MA707PA and MA707PAM-5. Includes wireless remote control.	709.00
MS70	MIPRO Tripod Speaker Stand. Adjustable from 111cm to 185cm. 5.5kg	80.00

The MA707 can also be used with the [MRM24 2.4GHz Wireless Receiver Module and associated transmitters.](#)

See the [ACT2400 Series section of the price list for details.](#)

MA708 Portable PA System, 190W (8"/1" drivers)

RRP Inc GST

With Cord Mic (no receiver)

MA708PAB	MIPRO Portable PA, 190 Watts with Bluetooth. 8" woofer, 1" compression driver. Supplied with Cord Microphone. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with up to four wireless mics with MRM70B single and MRM72B dual wireless modules and CDM2 CD/USB Player Module. 16.3kg.	1,815.00
-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With Wireless Receiver

MA708PAMB-5	MIPRO Portable PA, 190 Watts with Bluetooth and Wireless Mic Receiver. 8" woofer, 1" compression driver. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with up three more wireless mics with MRM70B single or a MRM72B dual wireless module, and CDM2 CD/USB Player Module. 5NB frequency band. 16.3kg.	2,145.00
--------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With Wireless Receiver and CD/USB Player

MA708CDMB-5	MIPRO Portable PA, 190 Watts with Bluetooth and Wireless Mic Receiver and CD/USB Player Module. 8" woofer, 1" compression driver. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with up three more wireless mics with MRM70B single or a MRM72B dual wireless module. 5NB frequency band. 16.3kg.	2,639.00
--------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the [ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics.](#)

Accessories

MA708EXP	MIPRO Extension Speaker for MA708. Same dimensions and look as MA708. 8" woofer and 1" compression driver. Supplied with 10m cable. Use on a table or speaker stand.	1,087.00
SC-75	MIPRO Protective carry and storage bag for MA708. Includes pouches for transmitters and other accessories.	165.00
MRM70B-5	MIPRO Wireless Mic Receiver Module. Install up to two per MA708. 5NB frequency band.	360.00
MRM72B-5	MIPRO Dual Channel Wireless Mic Receiver Module. One can be added, along with up to two MRM70B's to an MA708. 5NB frequency band.	659.00
MTM92-6	MIPRO Wireless Interlinking Transmitter to create a wireless link to additional MIPRO Portable PA's. Receiving units must be fitted with a MRM70B-6 Receiver Module. 6B frequency band.	545.00
MRM70B-6	MIPRO Wireless Receiver Module to suit MTM92-6 Interlink Transmitter. 6B frequency band.	360.00
CDM2	MIPRO CD/USB Audio Player Module for MA708PA and MA708PAMB-5. Includes wireless remote control.	659.00
DPM3	MIPRO USB/SD Audio Player/Recorder Module for MA505PA. Front control panel can be detached and used as a wireless USB/SD remote.	363.00
MS70	MIPRO Tripod Speaker Stand. Adjustable from 111cm to 185cm. 5.5kg	80.00

The MA708 can also be used with the [MRM24 2.4GHz Wireless Receiver Module and associated transmitters.](#)

See the [ACT2400 Series section of the price list for details.](#)

MA808 Portable PA System, 265W (10"/1" drivers, Biamped)

RRP Inc GST

With Cord Mic (no receiver)

MA808PAB	MIPRO Portable PA with Bluetooth, 265 Watts Biamped. 10" woofer, 1" compression driver. Supplied with Cord Microphone. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with up to four wireless mics with MRM70B single and MRM72B dual wireless modules and CDM2 CD/USB Player Module. 20.5kg.	3,299.00
-----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With Wireless Receiver

MA808PAMB-5	MIPRO Portable PA with Bluetooth and Wireless Mic Receiver, 265 Watts Biamped. 10" woofer, 1" compression driver. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with up three more wireless mics with MRM70B single and MRM72B dual wireless modules and CDM2 CD/USB Player Module. 5NB frequency band. 20.5kg.	3,465.00
--------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

With Wireless Receiver and CD/USB Player

MA808CDMB-5	MIPRO Portable PA with Bluetooth, Wireless Mic Receiver and CD/USB Player, 265 Watts Biamped. 10" woofer, 1" compression driver. Integrated dual gel cell batteries. XLR and 6.35mm Mic Inputs, Single RCA Line Input, Single RCA Line Output. Use on a table or speaker stand. Can be optioned with up three more wireless mics with MRM70B single and MRM72B dual wireless modules. 5NB frequency band. 20.5kg.	3,795.00
--------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Transmitters and Microphones

ACT32H-5	MIPRO Handheld Transmitter with Supercardioid Condenser capsule. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band.	265.00
ACT32T-5	MIPRO Bodypack Transmitter. LCD Status Screen. Runs on 2 x AA batteries. 5NB frequency band. **Mic not included, please select lapel or headworn mics below**	235.00
MU53L	MIPRO Lapel Microphone for Bodypack Transmitters. Compact 10mm Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	79.00
MU53HN	MIPRO Headworn Microphone. Cardioid Condenser Microphone with 1.5m cable terminated in 4-pin mini XLR to suit all MIPRO bodypacks. Black.	160.00

Please see the ACT300 section of the price list for additional microphone and transmitter options, including rechargeable mics.

Accessories

MA808EXP	MIPRO Extension Speaker for MA808. Same dimensions and look as MA808. Biamped with 10" woofer and 1" compression driver. Supplied with 10m cable. Use on a table or speaker stand.	1,155.00
SC-80	MIPRO Protective carry and storage bag for MA808. Includes pouches for transmitters and other accessories.	165.00
MRM70B-5	MIPRO Wireless Mic Receiver Module. Install up to two per MA808. 5NB frequency band.	360.00
MRM72B-5	MIPRO Dual Channel Wireless Mic Receiver Module. One can be added, along with up to two MRM70B's to an MA808. 5NB frequency band.	659.00
MTM92-6	MIPRO Wireless Interlinking Transmitter to create a wireless link to additional MIPRO Portable PA's. Receiving units must be fitted with a MRM70B-6 Receiver Module. 6B frequency band.	545.00
MRM70B-6	MIPRO Wireless Receiver Module to suit MTM92-6 Interlink Transmitter. 6B frequency band.	360.00
CDM2	MIPRO CD/USB Audio Player Module for MA808PA and MA808PAMB-5. Includes wireless remote control.	659.00
DPM3	MIPRO USB/SD Audio Player/Recorder Module for MA505PA. Front control panel can be detached and used as a wireless USB/SD remote.	363.00
MS70	MIPRO Tripod Speaker Stand. Adjustable from 111cm to 185cm. 5.5kg	80.00

The MA808 can also be used with the MRM24 2.4GHz Wireless Receiver Module and associated transmitters.

See the ACT2400 Series section of the price list for details.

Replacement Batteries for MA Series Portable PA's		RRP Inc GST
MB-10	MIPRO Replacement Lithium Rechargeable Battery for MA100 and MA303 Series. (14.8V, 2.6AH)	179.00
MB-25	MIPRO Replacement Lithium Rechargeable Battery for MA202B. (14.8V, 2.6AH)	159.00
MB-30	MIPRO Replacement Sealed Lead-acid Rechargeable Battery for MA101C, MA101A and MA705 (two required for MA705). (12V, 2.9AH)	61.00
MB-35	MIPRO Replacement Lithium Rechargeable Battery for MA505 Series. (22.2V, 4.5AH)	361.00
MB-70	MIPRO Replacement Sealed Lead-acid Rechargeable Battery for MA707, MA708 and MA808 (two required per unit). (12V, 4.5AH)	54.00

Lithium Battery Upgrade for MA707, MA708 and MA809

MB-80	MIPRO MB-80 battery case holds four lithium batteries and can be used as a direct replacement for the standard lead-acid battery in the MA707, MA708 and MA808. Two MB-80 and 2 x 8MPBA80 (set of four batteries) are required per unit. Perfect for heavy users and those wanting to reduce the weight of the systems.	182.00
8MPBA80	MIPRO Lithium Iron Phosphate Rechargeable Battery for MB-80. (32650 type. 5 AH, high-capacity). Set of 4, so one set required per MB-80. Two 8MPA80 and two MB-80 required per MA707, MA708, MA808.	149.00

Each MA707, 708 and 808 requires 2 x MB-80 and 2 x 8MPBA80 if upgrading to Lithium.

MIPRO Classroom PA System

Wireless Classroom PA		RRP Inc GST
MA101ACT	MIPRO Wall Mount PA System with integrated wireless mic receiver. The system is designed so that each teacher can carry their own MT101ACT microphone from classroom to classroom and quickly and easily sync to the installed system. Powerful 45 Watts and featuring a 5" full range driver. Simple key hole mounting. 6B frequency band. 2.3kg.	495.00
MT101ACT	MIPRO Teacher Microphone for MA101ACT. Can be held or worn around the neck with supplied lanyard, or used with a headworn mic. The mic has a power on/off button, and volume control. It also includes a 3.5mm line input for quick connection of a laptop, smartphone etc. to the Classroom PA. Rechargeable battery operates for up to 24 hours from a 3 hour charge. 6B frequency band.	365.00
MP101ACT	MIPRO Drop-in charger for MT101ACT Teachers Microphone. (pictured with MT101ACT Microphone)	91.00
MA101AXP	MIPRO Extension Wall Mount Speaker. Powered from MA101ACT and connects via standard speaker cable. Ideal for larger classrooms for better audio distribution.	246.00
PC-11	MIPRO Field Remote Frequency Programmer. Allows an AV tech or the installer to set or change the system frequencies. One suggested per site.	279.00

MIPRO Wireless Links

Wireless Audio Links		RRP Inc GST
Transmitter		
MT92A-5	MIPRO Rack Mount Transmitter. XLR/6.35mm Mic/Line combo connector. Switchable +48V phantom power. Rear panel adjustable input sensitivity. 5NB frequency band.	759.00

Directional Antenna (Transmit and Receive)

AT90Wa	MIPRO Directional Transmit/Receive Antenna. Bi-functional log antenna with 130H x 75V degree coverage. TNC input connectors to connect with a receiver or a transmitter. RX connector has a 0-12dB adjustable booster. Can either be mounted on a mic stand or wall-mounted with MS-90 bracket. Priced per unit.	405.00
---------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------


Receiver (Rack Mount)

ACT311B-5	MIPRO Single Channel Diversity Receiver. 1/2 RU metal rack mountable receiver. 961 selectable frequencies, detachable antenna, XLR and 6.35mm jack outputs. Features Auto Scan and ACT for one-button frequency sync to transmitters. Single and Dual rack kits available. 5NB frequency band.	329.00
------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Rack Mount Kit for MT-92A and ACT311B

FB71	MIPRO Rack Kit to mount a single MT-92A or ACT311B in a standard 1RU 19" rack.	58.00
FB72	MIPRO Rack Kit to mount a two MT-92A transmitters or ACT300 series receivers side by side in a standard 1RU 19" rack.	32.00

Configuration Example



The MT92A-5 can also transmit to MRM70B-5 receiver modules in the MA Series Portable PA's

MIPRO Spare Parts

Common Spare Parts

RRP Inc GST

Windscreens and Windscreens

4CP0001	MIPRO External Windscreen for ACT32H/HC, ACT70H/HC and ACT80H/HC handheld microphones. Pack of 2. Black	16.50
4CP0002	MIPRO Windscreens for MU53L lapel and MU53HN Headworn microphones. Pack of 4. Black	16.50
4CP0006	MIPRO Windscreens for MU55L and MU55HN lapel and headworn microphones. Pack of 4. Black	16.50
4CP0007	MIPRO Windscreens for MU55LS and MU55HNS lapel and headworn microphones. Pack of 4. Beige.	16.50

Mic Clips for Handhelds and Lapels

MD20	MIPRO Mic clip for wireless handheld microphones.	13.50
4CP0017	Mic Clamp for MU53L Lapel Microphone. Pack of 4. Black.	25.00
7AF007	Mic Clamp for MU55L Lapel Microphone. Per unit. Black.	10.00
7AF016	Mic Clamp for MU55LS Lapel Microphone. Per unit. Beige.	10.00

Replacement Antenna's

2TA042	Replacement Antenna for ACT311B and ACT312B (5NB). Per pair.	91.00
2TA021	Replacement Antenna for ACT311B and ACT312B (6B). Per pair.	91.00
2TB015	Replacement Antenna for ACT2412A and ACT2414A (2.4GHz). Per pair.	91.00
2TA005	Replacement Antenna for ACT71, ACT72 and ACT74 (6UA). Per pair.	91.00
2TB011	Replacement Antenna for ACT818, ACT828 (5F). Per pair.	91.00

Replacement Frames for Headworn Mics

HW50F	MIPRO Replacement frame for MU55HN headworn mic. Frame only. Black.	71.00
HW50FS	MIPRO Replacement frame for MU55HNS headworn mic. Frame only. Beige	75.00

Legacy Products/Replacement Transmitters and Receivers

Common Replacement Transmitters and Receivers

RRP Inc GST

ACT30H-5	Handheld Wireless Mic to use with older ACT311/312 (non B) receivers or MRM70 receiver modules on 5NB	265.00
ACT30H-6	Handheld Wireless Mic to use with ACT707S, ACT707SE ACT707D, ACT707DE, MRM70-R and ACT311/312 on 6B. Can replace ACT707H or ACT707HE mics on 6B.	265.00
ACT30T-5	Bodypack transmitter (no mic) to use with older ACT311/312 (non B) receivers or MRM70 receiver modules on 5NB	235.00
ACT30T-6	Bodypack transmitter (no mic) to use with ACT707S, ACT707SE ACT707D, ACT707DE, MRM70-R and ACT311/312 on 6B. Can replace ACT707T or ACT707TE Bodypacks on 6B.	235.00
ACT311-5	Legacy single receiver to replace ACT311 (non B version) on 5NB	355.00
ACT311-6	Legacy single receiver to replace ACT311 (non B version) or ACT707S, ACT707SE on 6B	355.00
ACT312-5	Legacy dual receiver to replace ACT311 (non B version) on 5NB	650.00
ACT312-6	Legacy dual receiver to replace ACT312 (non B version) or ACT707D, ACT707DE on 6B	650.00
MRM70-5	Legacy receiver module for MA505, MA705, MA707, MA708 and MA808 on 5NB. Compatible with ACT30H-5 and ACT30T-5	360.00
MRM70-6	Legacy receiver module for MA505, MA705, MA707, MA708 and MA808 on 6B. Compatible with ACT30H-6 and ACT30T-6	360.00

Please contact us to check compatibility with other components, or for any items not covered here.

MIPRO Frequency List

5NB (Mic Systems)	520 - 542 MHz - ACT311B, ACT312B, MR90B Systems on 5NB
--------------------------	--------------------------------------------------------

5NB (Portable PA's)	520 - 540 MHz -MA Series Portable PA's with 5NB Modules
6B (Mic Systems)	645 - 666 MHz - ACT311B and ACT312B Systems on 6B
6B (Portable PA's)	645 - 666 MHz - MA Series Portable PA's with 6B Modules
6UA	626 - 694 MHz - ACT70 Series Wideband Systems
5F	540 - 604 MHz - ACT800 Series and IEM Digital Systems
900MHz Digital	926 - 928MHz Digital - MTG100 Tour Guide System
2.4GHz	2.4GHz - ATC2400 Series. Frequency Hopping spread spectrum
2.4GHz	2.4GHz - ACT24R and MT24A Tour Guide System